

Properties & Functions of Phrikolat HDD Products

Basic Products

Properties



Viscosity

Gel Strength

Fluid Loss Control

Water-Binding Capacity

Carrying Capacity

Clay Inhibition

Lubrication

meets the properties:

- partial

+ good

++ excellent

Bentonit Typ W

++

++

+

+

++

+

Bentonit W Plus

++

++

++

++

++

+

Bentonit Typ W - Premium

++

++

+

++

++

+

Modimix 650

++

+

++

++

+

+

Modiflux Spezial

++

++

-

+

++

+

+

Clay Control

+

+

++

-

++

+

Rheopur Eco

++

+

+


+

+

-

+

Properties & Functions of Phrikolat HDD Products

Additives	Primary & Secondary Functions											
 <p> <input checked="" type="checkbox"/> primary function <input type="checkbox"/> secondary function </p>	Increase Viscosity	Increase Gel Strength	Decrease Filtrate Volume	Increase Water-binding	Increa. Carrying Capacity	Improve Clay Inhibition	Reduce Swelling	Reduce Sticking	Torque Reduction	Protective Colloid	Lost-Circulation-Material	Surface Wetting
Argipol P / F	■			■		■	■	■	■			
Filter Control	□		■	■					□	□		
Modidet								■	■			■
Modiplex MH	■	■			■							
Modipol 600	■	□	■	■	□				□	■		
Modiseal											■	
Modivis 900	■	■	□	■	■				□	□		
Multisorb 200					■						■	
PAC LV	□		■	■		□			□	■		
ParaTrol			□			■	■	□				
ParaVis 500	■	□		□	■				□			
PhrikoTon 4.0						■	■	□				
Rheopur	■	■	□	■	■				□	■		
Rheopur SW	■	■	■	■	■				□	■		